



U.S. Department
of Transportation

**Research and
Special Programs
Administration**

OCT 25 2000

400 Seventh Street, S.W.
Washington, D.C. 20590

DOT-E 11660
(FOURTH REVISION)

EXPIRATION DATE: September 30, 2002

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Olsen Tuckpointing Company
Rolling Meadows, IL
2. PURPOSE AND LIMITATION: This exemption authorizes the transportation in commerce of two (2) non-DOT Specification cargo tanks containing a class 8 material. This exemption provides no relief from any regulations other than as specifically stated.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.242.
5. BASIS: This exemption is based on Olsen Tuckpointing Company's application of October 4, 2000, submitted in accordance with § 107.109.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Hydrochloric acid	8	UN1789	II or III

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Packagings prescribed are two (2) non-DOT specification cargo tanks similar to MC 307 cargo tanks, each permanently mounted to a flat bed truck. These 500 gallon tanks are designed and constructed in accordance with Lockport Steel Fabricators' drawing number 137-D, last revised June 23, 1987, on file with the Office of Hazardous Materials Exemptions and Approvals (OHMEA). The 5 inch I.D. fill opening and the 14.25 x 18 inch manway are shown in

OCT 25 2000

Continuation of DOT-E 11660 (4th Rev.)

Page 2

photographs also on file with OHMEA. The design pressure of these tanks is 100 psi and they are rubber-lined. Pressure relief protection is provided by a relief valve at the outlet of the compressor which pressurizes the tanks when they are being used to supply hydrochloric acid for cleaning masonry.

b. These cargo tanks must receive all tests and inspections required by § 180.407(c) for MC 307 lined cargo tanks.

c. Tanks must not be pressurized when in transportation.

8. SPECIAL PROVISIONS:

Each cargo tank must be marked "DOT-E 11660" in letters and numerals at least two inches high on a contrasting background on each head.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.

10. MODAL REQUIREMENTS: This exemption imposes no additional modal requirements.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Registration required by § 107.601 et seq., when applicable.


Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when the exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS:

The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipment made under the terms of this exemption.

Issued in Washington, D.C.:



for Robert A. McGuire
Associate Administrator
for Hazardous Materials Safety

OCT 25 2000

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Copies of exemptions may be obtained from the AAHMS, U.S. Department of Transportation, 400 7th Street, SW, Washington, DC 20590-0001, Attention: Records Center, 202-366-5046.

PO: sln